



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

September 13, 2013

Rebecca Brewer  
2916 Benjamin Court SE  
Olympia, WA 98501

Re: Water Right No. S2-30386

Dear Ms. Brewer:

We received your request for an extension of the development schedule of Permit S2-30386. Upon reviewing your letter, we found that you have excavated and installed pipes from the lake to your property. This indicates that construction has begun and you are ready to file the enclosed *Construction Notice* for "Beginning of Construction".

Enclosed are two *Construction Notice* forms, one of which is partially filled out for "Beginning of Construction". ***Please complete the highlighted information on the form for reporting "Beginning of Construction" and return it to our office within 60 days.*** We have applied your extension fee to extend your "Completion of Construction" date to allow more time to complete this project.

You are hereby granted an extension to complete construction for the reasons below:

- Due diligence shown in development of this permit. Septic approval and a building permit were obtained and water lines are installed from the lake to the property.
- Development was considerably delayed due to illness and death one of the primary water right holders.

The new deadline to submit your *Construction Notice* for "Completion of Construction" is **October 1, 2016**. By that date, you must complete construction of the water system and install a meter on the diversion. However, construction of a home and use of water is not due until October 1, 2017.

#### **YOUR RIGHT TO APPEAL**

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).



To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.


#### ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
<b>Department of Ecology</b> Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	<b>Department of Ecology</b> Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
<b>Pollution Control Hearings Board</b> 1111 Israel RD SW STE 301 Tumwater, WA 98501	<b>Pollution Control Hearings Board</b> PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website:  
<http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

If you need additional time to respond or have any questions, please contact Marie Peter at (360) 407-0279 or [mpet461@ecy.wa.gov](mailto:mpet461@ecy.wa.gov).

Sincerely,



Michael J. Gallagher  
Section Manager  
SWRO Water Resources

MJG:MP:th

Enclosures: *Construction Notice (2)*  
*Meter Form 1*  
*Your Right to Be Heard*

BY CERTIFIED MAIL: 7011 2970 0000 0555 2763